



PETALUMA VALLEY
GROUNDWATER
 SUSTAINABILITY AGENCY

Drought Executive Order N-7-22

Supplemental Information Form

To comply with Drought Executive Order N-7-22, written verification from the GSA¹ is required for non-exempt wells within the Petaluma Valley groundwater basin. In order to provide verification, the Petaluma Valley GSA needs some supplemental information not provided to Permit Sonoma.

Please fill in the below form and return to the GSA via email at info@petalumavalleygroundwater.org along with the signed acknowledgements form and any additional materials required by Permit Sonoma.

REFERENCE INFORMATION

Well Permit Number _____	APN _____
--------------------------	-----------

SUPPLEMENTAL INFORMATION

<p>Estimated Groundwater Extraction (annual, monthly, or seasonal) of Proposed Well:</p> <p>_____</p> <p>Expected Total Depth of Proposed Well: _____</p> <p>Projected Target Screen Interval: _____</p> <p>If existing well(s) on parcel,</p> <ul style="list-style-type: none"> - Estimated groundwater extraction (annual, seasonal, or monthly) of existing well(s) (under current and future conditions) _____ - Static water level and measurement date from an existing well _____ - Please attach a copy of any well logs from the existing well(s)

¹ According to Drought Executive Order N-7-22, a public agency shall not “Approve a permit for a new groundwater well or for alteration of an existing well in a basin subject to the Sustainable Groundwater Management Act and classified as medium-or high-priority without first obtaining written verification from a Groundwater Sustainability Agency managing the basin or area of the basin where the well is proposed to be located that groundwater extraction by the proposed well would not be inconsistent with any sustainable groundwater management program established in any applicable Groundwater Sustainability Plan adopted by that Groundwater Sustainability Agency and would not decrease the likelihood of achieving a sustainability goal for the basin covered by such a plan.”